

Printed by EAST

UserID: JMaldonado

Computer: WS04983

Date: 08/12/2002

Time: 10:17

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	46	((wire with (sweep distortion)) (lateral with distortion)) and (coaxial with line)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 08:55
2	BRS	44	((((wire with (sweep distortion)) (lateral with distortion)) and (coaxial with line)) and @ad<=20001120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 08:56
3	BRS	0	(((((wire with (sweep distortion)) (lateral with distortion)) and (coaxial with line)) and @ad<=20001120) and (((438/\$) (257/\$)).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 08:57
4	BRS	0	(((((wire with (sweep distortion)) (lateral with distortion)) and (coaxial with line)) and @ad<=20001120) and (((438/\$) (257/\$)).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 08:58
5	IS&R	3674	((438/112) or (438/124) or (438/123) or (438/611) or (438/612) or (257/671) or (257/672) or (257/673)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 07:55
6	BRS	26	((((438/112) or (438/124) or (438/123) or (438/611) or (438/612) or (257/671) or (257/672) or (257/673)).CCLS.) and coaxial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 08:59
7	BRS	22	(((((438/112) or (438/124) or (438/123) or (438/611) or (438/612) or (257/671) or (257/672) or (257/673)).CCLS.) and coaxial) and @ad<=20001120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 09:01
8	BRS	5477	(wire with bond) and pad and chip and lead	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 09:03
9	BRS	1	((wire with bond) and pad and chip and lead) and (low with dielectric) and ((blowed blown foamed) with polymer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 09:04
10	BRS	160	((wire with bond) and pad and chip and lead) and (low with dielectric) and (polymer polyurethane)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 09:58
11	BRS	157	((((wire with bond) and pad and chip and lead) and (low with dielectric) and (polymer polyurethane)) and @ad<=20011120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 10:08
12	BRS	12	((wire with bond) and pad and chip and lead) and (low with dielectric) and (polyurethane)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 10:02

	Comments	Error Definition	Errors
1			0
2			0
3			0
4			0
5			0
6			0
7			0
8			0
9			0
10			0
11			0
12			0

08/12/2002, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp
13	BRS	12	((wire with bond) and pad and chip and lead) and (low with dielectric) and (polyurethane)) and @ad<=20011120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 09:59
14	BRS	1	((wire with bond) and pad and chip and lead) and (low with dielectric) and (polyurethane and foam)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 10:02
15	BRS	16	((wire with bond) and pad and chip and lead) and (low with dielectric) and (polymer and foam)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 10:02
16	BRS	7	((wire with bond) and pad and chip and lead) and (low with dielectric) and (polyurethane and (foam foaming foamed pores porous))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 10:03
17	BRS	98931	polyurethane and (foam\$ pore porous)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 10:09
18	BRS	778	(polyurethane and (foam\$ pore porous)) and wire with bond\$	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 10:16
19	BRS	169	((polyurethane and (foam\$ pore porous)) and wire with bond\$) and pad and lead	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 10:16
20	BRS	153	((polyurethane and (foam\$ pore porous)) and wire with bond\$) and pad and lead) and @ad<=20011120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 10:16
21	BRS	2	((polyurethane and (foam\$ pore porous)) and wire with bond\$) and pad and lead) and @ad<=20011120) and (parasitic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 10:17
22	BRS	33	((polyurethane and (foam\$ pore porous)) and wire with bond\$) and pad and lead) and @ad<=20011120) and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 10:19
23	IS&R	2	("6368899").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 10:19

08/12/2002, EAST Version: 1.03.0002

	Comments	Error Definition	Errors
13			0
14			0
15			0
16			0
17			0
18			0
19			0
20			0
21			0
22			0
23			0

08/12/2002, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp
24	BRS	72	("3646409" "3706840" "3771025" "3828425" "3914858" "4089575" "4091407" "4100675" "4173683" "4198444" "4250347" "4468411" "4506108" "4523372" "4633573" "4652465" "4661837" "4663240" "4687622" "4769344" "4833334" "4835120" "4837448" "4839716" "4888449" "4891687" "4935174" "4953002" "4967315" "4975762" "4979019" "5047260" "5096851" "5138430" "5139969" "5149662" "5151770" "5166772" "5180513" "5202536" "5206794" "5239126" "5250845" "5268331" "5294826" "5304750" "5317107" "5384477" "5406117" "5424251" "5441900" "5527742" "5552338" "5561265" "5577319" "5589129" "5610443" "5629559" "5672918" "5714102" "5770304" "5780163" "5824568" "5825042" "5834891" "5847467" "5851852" "5864088" "5880403" "5888850" "5889316" "5946556").PN.	USPAT	2002/08/06 10:20
25	BRS	8	("4056681" "4091407" "4396934" "4580157" "4618878" "4625227" "4729010" "4971667").PN.	USPAT	2002/08/06 10:31
26	BRS	5	5096851.URPN.	USPAT	2002/08/06 10:32
27	BRS	2	6013109.URPN.	USPAT	2002/08/06 10:35
28	BRS	9	("4486945" "4821148" "5013688" "5096851" "5208467" "5310702" "5434106" "5438222" "5527742").PN.	USPAT	2002/08/06 10:35
29	BRS	6	5013688.URPN.	USPAT	2002/08/06 10:38
30	BRS	6	5310702.URPN.	USPAT	2002/08/06 10:50
31	BRS	5	("4821148" "5013688" "5045151" "5053357" "5057457").PN.	USPAT	2002/08/06 11:04
32	BRS	53	4821148.URPN.	USPAT	2002/08/06 11:04

08/12/2002, EAST Version: 1.03.0002

	Comments	Error Definition	Errors
24			0
25			0
26			0
27			0
28			0
29			0
30			0
31			0
32			0

08/12/2002, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp
33	BRS	22	("3978578" "4486945" "4821148" "5176310" "5208467" "5241133" "5331205" "5345106" "5376756" "5386342" "5390082" "5396104" "5414928" "5639558" "5656830" "5710457" "5847445" "5854512" "5880520" "5886409" "5889211" "5908317").PN.	USPAT	2002/08/06 11:08
34	BRS	4	("5359222" "5485037" "5659198" "5679975").PN.	USPAT	2002/08/06 11:10
35	BRS	3	5880520.URPN.	USPAT	2002/08/06 11:10
36	BRS	18	("5001546" "5384204" "5489749" "5491302" "5518964" "5540378" "5629239" "5684329" "5801436" "5821609" "5830782" "5859472" "5880520" "5914532" "5958607" "5994222" "5994767" "6034422").PN.	USPAT	2002/08/06 11:11
37	BRS	53	4821148.URPN.	USPAT	2002/08/06 11:12
38	BRS	79	insulated with (wire adj bond)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 11:19
39	BRS	1	(insulated with (wire adj bond)) and polymer and (foamed pore porous foam foamed)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 11:20
40	BRS	6	(insulated with (wire adj bond)) and (polyurethane)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 11:21
41	BRS	12	5037023.URPN.	USPAT	2002/08/06 11:22
42	BRS	0	5554443.URPN.	USPAT	2002/08/06 11:26
43	BRS	15	("3523820" "4331800" "4342814" "4379807" "4420535" "4459383" "4503124" "4505978" "4511624" "4537804" "4678114" "4751107" "4942105" "5037023" "5396104").PN.	USPAT	2002/08/06 11:28
44	BRS	9	4331800.URPN.	USPAT	2002/08/06 11:31
45	BRS	42401	(foamed porous) and polyurethane	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 11:38
46	BRS	17891	(foamed porous) with polyurethane	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 11:38

08/12/2002, EAST Version: 1.03.0002

	Comments	Error Definition	Errors
33			0
34			0
35			0
36			0
37			0
38			0
39			0
40			0
41			0
42			0
43			0
44			0
45			0
46			0

08/12/2002, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp
47	BRS	26	((foamed porous) with polyurethane) and (wire adj bonding)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 11:39
48	BRS	24	((foamed porous) with polyurethane) and (wire adj bonding)) and @ad<=20001120	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 13:22
49	BRS	8	4048670.URPN.	USPAT	2002/08/06 11:40
50	BRS	8	4048670.URPN.	USPAT	2002/08/06 13:19
51	BRS	9	("3668299" "4048670" "4942571" "5147982" "5623169" "5895889" "5995380" "6034441" "6049125").PN.	USPAT	2002/08/06 13:20
52	BRS	10	("2906931" "2915684" "3441813" "3568012" "3659164" "3689864" "3706840" "3742599" "3778685" "3820237").PN.	USPAT	2002/08/06 13:21
53	BRS	828	((foamed porous) with polyurethane) and (packaging)) and @ad<=20001120	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 13:25
54	BRS	232	((foamed porous) with polyurethane) and (packaging)) and @ad<=20001120 and wire	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 13:25
55	BRS	8	((foamed porous) with polyurethane) and (packaging)) and @ad<=20001120 and wire) and pad) and (((438/\$) (257/\$)).cls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 13:26
56	BRS	39	((foamed porous) with polyurethane) and (packaging)) and @ad<=20001120 and wire) and pad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/06 13:29
57	BRS	8	4048670.URPN.	USPAT	2002/08/06 13:31
58	BRS	12	5037023.URPN.	USPAT	2002/08/06 13:32
59	BRS	0	5554443.URPN.	USPAT	2002/08/06 13:44
60	BRS	0	5554443.URPN.	USPAT	2002/08/06 13:45
61	BRS	15	("3523820" "4331800" "4342814" "4379807" "4420535" "4459383" "4503124" "4505978" "4511624" "4537804" "4678114" "4751107" "4942105" "5037023" "5396104").PN.	USPAT	2002/08/06 13:45
62	BRS	12	5037023.URPN.	USPAT	2002/08/06 13:46

08/12/2002, EAST Version: 1.03.0002

	Comments	Error Definition	Errors
47			0
48			0
49			0
50			0
51			0
52			0
53			0
54			0
55			0
56			0
57			0
58			0
59			0
60			0
61			0
62			0

08/12/2002, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp
63	BRS	20	("3271851" "3753665" "3844909" "4659437" "4764848" "4893172" "4955523" "4998885" "5037023" "5045975" "5189507" "5210939" "5294039" "5309324" "5455390" "5476211" "5518969" "5601740" "5608966" "5665654").PN.	USPAT	2002/08/06 13:46
64	BRS	209	(insulating dielectric passivating) with (film layer) with (foamed with polyurethane)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 13:52
65	BRS	26	((insulating dielectric passivating) with (film layer) with (foamed with polyurethane)) and wire	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 13:57
66	BRS	0	(bonding adj wire) with (foamed adj (polyurethane polymer))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 13:58
67	BRS	0	(bonding adj wire) with (foamed adj (polyurethane polymer))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/06 13:58
68	IS&R	3674	((438/112) or (438/124) or (438/123) or (438/611) or (438/612) or (257/671) or (257/672) or (257/673)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 07:55
69	BRS	954	(mutual with capacitance) and (reduction reduced reduces reduce minimization minimized)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/07 07:57
70	BRS	18	((mutual with capacitance) and (reduction reduced reduces reduce minimization minimized)) and (bond adj wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 07:57
71	BRS	8	((((mutual with capacitance) and (reduction reduced reduces reduce minimization minimized)) and (bond adj wire)) and (housing package) with ((silicon adj nitride) ceramic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 08:11
72	BRS	1	((((438/112) or (438/124) or (438/123) or (438/611) or (438/612) or (257/671) or (257/672) or (257/673)).CCLS.) and (foamed with polyurethane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/07 08:11
73	BRS	39	((((438/\$) (257/?)).ccls.) and (foamed with polyurethane)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/07 08:13
74	BRS	0	(((((438/\$) (257/?)).ccls.) and (foamed with polyurethane)) and (bond adj wire)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/07 08:13

08/12/2002, EAST Version: 1.03.0002

	Comments	Error Definition	Errors
63			0
64			0
65			0
66			0
67			0
68			0
69			0
70			0
71			0
72			0
73			0
74			0

08/12/2002, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp
75	BRS	27	(((438/\$) (257/?)).ccls.) and (foamed with polyurethane)) and @ad<=20001120	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/07 08:14

	Comments	Error Definition	Errors
75			0

08/12/2002, EAST Version: 1.03.0002